

## **After Care Instructions And When to Call**




**After  
placing  
the pills  
in your  
vagina at  
home**

**Bleeding  
and  
Cramping  
ARE  
NORMAL**

**\* Some women bleed  
a little**

**\*Some women bleed  
more than a period**

**\*Some clots may be  
as big as a lemon**



**If YOU ARE  
SOAKING more than  
2 MAXIPADS per  
hour  
FOR MORE THAN**

**2 HOURS in a row**

**CALL US**



**If YOU HAVE  
SEVERE CRAMPS  
-AND-  
PAIN PILLS  
do not help**

**CALL US**



**YOU MAY ALSO  
HAVE SOME SIDE  
EFFECTS:**

**\*Nausea**

**\*Vomiting**

**\*Diarrhea**

**\*Dizziness**

**IF ANY OF THESE  
LAST MORE THAN  
24 HOURS**

**\*Vomiting**

**\*Diarrhea**

**\*Temperature  
Higher than 100.4**

**CALL US**



**If you are feeling  
worried and think  
you need to go to  
the Emergency  
Room (ER)**

**CALL US**



**FEVER  
-AND-  
CHILLS  
are NORMAL  
On the day you  
take  
MISOPROSTOL**

**BUT IF YOU STILL  
HAVE FEVER OR  
CHILLS  
24 HOURS after  
taking  
MISOPROSTOL  
CALL US**



You can contact the on-call provider at **505-560-8899**. This is a digital pager. When you hear the beep, put in a phone number (with area code) where you can be reached, followed by the # sign. If you do not get a call back within 15 minutes, try again. Or you may also call **505-272-2111**. This is the University Hospital's main operator. Tell them you would like to speak to the **GYN Resident on-call**. The operator will then connect your call.